

FIG. 1






FIG. 2



3/9
FIG. 3



2025 RELEASE UNDER E.O. 14176

APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS

4/9

FIG. 4




FIG. 5

200

REGISTER

FOLDER: PRINTING CONDITION USED FOR OUTPUT

TITLE: COMPATIBLE WITH ART PAPER COMPANY B

COMMENT: ART PAPER CONDITION FOR COMPANY B

VERSION: B-1

TITLE	COMMENT	ATTRIBUTE	DATE	VERSION
ART PAPER PRINTING	COMPANY F STANDARD PRINTING CONDITION	ORG	../.../..	1.00
COMPATIBLE WITH ART PAPER COMPANY A	ART PAPER PRINTING CONDITION FOR COMPANY A	USR	../.../..	
COMPATIBLE WITH ART PAPER COMPANY B	ART PAPER PRINTING CONDITION FOR COMPANY B	USR	../.../..	B-1
COMPATIBLE WITH MAT PAPER	COMPANY F STANDARD PRINTING CONDITION	ORG	../.../..	1.00
...../.../..	...
...../.../..	...

PRINTING CONDITION

USED FOR OUTPUT

UNUSED

9_10

OK

CANCEL

FIG. 6

210

PRINTING CONDITION ADJUSTMENT															
<div> <div> </div> <div> </div> </div>															
<div> <div> <div>FOLDER</div> <div>PRINTING CONDITION\UNUSED\9_10\test-1</div> </div> <div> <div>TITLE</div> <div>SLIGHTLY COATED PAPER PRINTING</div> </div> </div>															
<div> <div> <div>PRINTING CONDITION</div> <div> <div>TRASH</div> <div>USED FOR OUTPUT</div> <div>UNUSED</div> <div>9_10</div> <div>test-1</div> </div> </div> <div> <div>SLIGHTLY COATED PAPER PRINTING</div> <div>WOOD-FREE PAPER COLOR REPRODUCTION</div> </div> </div>															
<table border="1"> <thead> <tr> <th>TITLE</th> <th>COMMENT</th> <th>ATTRIBUTE</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>SLIGHTLY COATED PAPER PRINTING</td> <td>COMPANY F STANDARD PRINTING CONDITION</td> <td>ORG</td> <td>../.../...</td> </tr> <tr> <td>WOOD-FREE PAPER COLOR REPRODUCTION</td> <td>COMPANY F STANDARD PRINTING CONDITION</td> <td>ORG</td> <td>../.../...</td> </tr> </tbody> </table>				TITLE	COMMENT	ATTRIBUTE	DATE	SLIGHTLY COATED PAPER PRINTING	COMPANY F STANDARD PRINTING CONDITION	ORG	../.../...	WOOD-FREE PAPER COLOR REPRODUCTION	COMPANY F STANDARD PRINTING CONDITION	ORG	../.../...
TITLE	COMMENT	ATTRIBUTE	DATE												
SLIGHTLY COATED PAPER PRINTING	COMPANY F STANDARD PRINTING CONDITION	ORG	../.../...												
WOOD-FREE PAPER COLOR REPRODUCTION	COMPANY F STANDARD PRINTING CONDITION	ORG	../.../...												

FIG. 7

21

INPUT				OUTPUT		
C	M	Y	K	R	G	B
0	0	0	0	R1	G1	B1
0	0	0	1	R2	G2	B2
0	0	0	2	R3	G3	B3
⋮	⋮	⋮	⋮	⋮	⋮	⋮
99	99	100	100	R98	R98	R98
99	100	100	100	R99	R99	R99
100	100	100	100	R100	R100	R100

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 8

200'

REGISTER

FOLDER PRINTING CONDITION USED FOR OUTPUT

COMMENT COMPANY F STANDARD PRINTING CONDITION

VERSION 1.00

TITLE SLIGHTLY COATED PAPER PRINTING

PRINTING CONDITION

USED FOR OUTPUT

UNUSED

9_10

TITLE	COMMENT	ATTRIBUTE	DATE	VERSION
ART PAPER PRINTING	COMPANY F STANDARD PRINTING CONDITION	ORG	../..../..	1.00
COMPATIBLE WITH ART PAPER COMPANY A	ART PAPER PRINTING CONDITION FOR COMPANY A	USR	../..../..	
COMPATIBLE WITH ART PAPER COMPANY B	ART PAPER PRINTING CONDITION FOR COMPANY B	USR	../..../..	B-1
COMPATIBLE WITH MAT PAPER	COMPANY F STANDARD PRINTING CONDITION	ORG	../..../..	1.00
SLIGHTLY COATED PAPER PRINTING	COMPANY F STANDARD PRINTING CONDITION	ORG	../..../..	1.00
...../..../..	...

OK

CANCEL

FIG. 9

